


Finishing other than special comment.	Unit : mm				Rev.	ECN No.	Revision note.	Date	Revised by
Corner other than special comment.	Radius other than special comment.; R-By machining								
Tolerance other than special comment.:		OAL ≤ 500mmL = +3 mm,-1mm OAL > 500mmL = +3%,-1%							



Max. Working Temperature : 250 Deg.C

SIZE mm(inch)	Min.Bending Radius(mm)	Overall Length			Ineffective Length Ax2 (mm)
		300 mm	400 mm	500 mm	
		Lateral Movement(mm)			
15A(1/2")	200	28	65	113	114
20A(3/4")	200	21	55	101	138
25A(1")	200	17	47	91	158
32A(1-1/4")	250	9	30	64	184
40A(1-1/2")	250	6	25	56	206
50A(2")	350	3	15	37	220

Note :- Working Pressure(w/p)
 SF300 -Please refer to spiral & annular tube and fitting.
 -Any information provided in drawing is subject to change
 without notice for error rectification or design modification.

4	WIRE BRAID	SUS304	1	
3	FLEXIBLE TUBE	SUS304,SUS316L	1	
2	COLLAR	SUS304	2	
1	FEMALE UNION	SS400,SUS304,SUS316	2	BSPT , NPT
Item	Part Name	Material	Q'ty	Remark

	Wellgrow Industrial Estate Chachoengsao, Thailand www.tozen.co.th	PROPRIETARY DATA THIS DOCUMENT CONTAINS TOZEN INDUSTRIAL CO.,LTD. CONFIDENTIAL AND PROPRIETARY INFORMATION AND CANNOT BE USED, DUPLICATED OR DISCLOSED IN WHOLE OR IN PART EXCEPT WITH EXPRESS WRITTEN PERMISSION OF TOZEN INDUSTRIAL CO.,LTD.
--	---	---

	DRAWN BY	CHECKED BY	APPROVED BY	TITLE	SF 300	Revision	Size
DATE	06/07/2018	06/07/2018	06/07/2018	DWG NO.	MTF-18-003-00	00	A4
DATE	06/07/2018	06/07/2018	06/07/2018	MATERIAL	See in Table	SCALE : N.T.S	UNIT : mm
DATE	06/07/2018	06/07/2018	06/07/2018	MATERIAL	See in Table	SCALE : N.T.S	UNIT : mm
DATE	06/07/2018	06/07/2018	06/07/2018	MATERIAL	See in Table	SCALE : N.T.S	UNIT : mm
DATE	06/07/2018	06/07/2018	06/07/2018	MATERIAL	See in Table	SCALE : N.T.S	UNIT : mm

